

## Freeform Search

<b>Database:</b>	US Pre-Grant Publication Full-Text Database	
	US Patents Full-Text Database	
	US OCR Full-Text Database	
	EPO Abstracts Database	
	JPO Abstracts Database	
	Derwent World Patents Index	
	IBM Technical Disclosure Bulletins	
<b>Term:</b>	<input type="text" value="6026485.pn. or 6185596.pn."/>	
<b>Display:</b>	<input type="text" value="20"/>	<b>Documents in Display Format:</b> <input type="text" value="-"/>
	<b>Starting with Number</b> <input type="text" value="1"/>	
<b>Generate:</b> <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image		

### Search History

**DATE:** Friday, August 04, 2006  
 [Printable Copy](#)  
 [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L15</u>	6026485.pn. or 6185596.pn.	4	<u>L15</u>
<u>L14</u>	6185596.pn.	2	<u>L14</u>
<u>L13</u>	L12 and (protect\$4 or encrypt\$7 or decrypt\$5 or crypt\$9)	1	<u>L13</u>
<u>L12</u>	4777589.pn.	2	<u>L12</u>
<u>L11</u>	L8 near75 (protect\$4 or encrypt\$7 or decrypt\$5 or crypt\$9)	148	<u>L11</u>
<u>L10</u>	L9 not l3	184	<u>L10</u>
<u>L9</u>	L8 and (protect\$4 or encrypt\$7 or decrypt\$5 or crypt\$9)	185	<u>L9</u>
	(terminat\$5 or open\$5 or chang\$5 or turn\$5 or releas\$4 or switch\$5 or fre\$4)		
<u>L8</u>	near10 (previl\$5 or protect\$4 or reserv\$4) near9 (memor\$4 or ram\$1 or eprom or eeprom or rom or stor\$4) near45 (i near1 o or peripher\$5)	279	<u>L8</u>
<u>L7</u>	L6 not l5	5	<u>L7</u>
	(releas\$4 or switch\$5 or fre\$4) near8 (previl\$5 or protect\$4) near6 (memor\$4		
<u>L6</u>	or ram\$1 or eprom or eeprom or rom or stor\$4) near15 (i near1 o or peripher\$5)	24	<u>L6</u>
<u>L5</u>	(releas\$4 or switch\$5) near8 (prevel\$5 or protect\$4) near6 (memor\$4 or ram\$1	19	<u>L5</u>

	or eprom or eeprom or rom or stor\$4) near15 (i near1 o or peripher\$5)		
<u>L4</u>	L3 not l1	3	<u>L4</u>
<u>L3</u>	(map\$7) near12 (peripheral or i near1 o) near15 reserv\$5	86	<u>L3</u>
<u>L2</u>	L1 and (protect\$4 or encrypt\$7 or decrypt\$5 or crypt\$9)	33	<u>L2</u>
<u>L1</u>	(map\$7) near8 (peripheral or i near1 o) near12 reserv\$5	83	<u>L1</u>

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((map\*) &lt;near/12&gt; (i &lt;near/2&gt; o, peripher\*) &lt;and&gt; space)&lt;in&gt;metadata)"

☒ e-mail

Your search matched 7 of 1382205 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(((map\*) &lt;near/12&gt; (i &lt;near/2&gt; o, peripher\*) &lt;and&gt; space)&lt;in&gt;metadata)

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[view selected items](#) [Select All](#) [Deselect All](#)

- ☐ 1. **Optical flow in log-mapped image plane - a new approach**  
 Mohammed, Y.;  
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)  
 Volume 24, Issue 1, Jan. 2002 Page(s):125 - 131  
 Digital Object Identifier 10.1109/34.982889  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(476 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **On Flexible Neural Networks: Some System-Theoretic Properties and a New Class**  
 Bavafa-Toosi, Y.; Ohmori, H.;  
[Decision and Control, 2005 and 2005 European Control Conference, CDC-ECC '05, 44th IEEE Conf](#)  
 12-15 Dec. 2005 Page(s):2554 - 2561  
[AbstractPlus](#) | Full Text: [PDF](#)(4952 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **Hough transform in log-polar image including foveal and peripheral information**  
 Jang-Sik Kim; You-Suk Bae; Sung-Il Chien;  
[Pattern Recognition, 2004. ICPR 2004. Proceedings of the 17th International Conference on](#)  
 Volume 2, 23-26 Aug. 2004 Page(s):60 - 63 Vol.2  
 Digital Object Identifier 10.1109/ICPR.2004.1334038  
[AbstractPlus](#) | Full Text: [PDF](#)(878 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 4. **A robot's spatial perception communicated via human touch**  
 Zelek, J.S.; Asmar, D.;  
[Systems, Man and Cybernetics, 2003. IEEE International Conference on](#)  
 Volume 1, 5-8 Oct. 2003 Page(s):454 - 461 vol.1  
 Digital Object Identifier 10.1109/ICSMC.2003.1243857  
[AbstractPlus](#) | Full Text: [PDF](#)(748 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 5. **Special session on low-power systems on chips (SOCs)**  
 Piguet, C.; Renaudin, M.; Omnes, T.J.-F.;  
[Design, Automation and Test in Europe, 2001. Conference and Exhibition 2001. Proceedings](#)  
 13-16 March 2001 Page(s):488 - 494  
 Digital Object Identifier 10.1109/DAT.2001.915068  
[AbstractPlus](#) | Full Text: [PDF](#)(576 KB) IEEE CNF

[Rights and Permissions](#)**6. Robot navigation by combining central and peripheral optical flow detection on a space-variant**

Toepfer, C.; Wende, M.; Barattoff, G.; Neumann, H.;  
[Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on](#)  
Volume 2, 16-20 Aug. 1998 Page(s):1804 - 1807 vol.2  
Digital Object Identifier 10.1109/ICPR.1998.712079

[AbstractPlus](#) | Full Text: [PDF](#)(120 KB) IEEE CNF

[Rights and Permissions](#)

**7. Mappable peripheral memory for high speed applications**

Shubat, A.; Cedar, Y.; Ali, S.; Sani, B.; Nguyen, D.; Singh, A.; Eltan, B.;  
[CompEuro '89. 'VLSI and Computer Peripherals. VLSI and Microelectronic Applications in Intelligence](#)  
[their Interconnection Networks' Proceedings.](#)  
8-12 May 1989 Page(s):1/56 - 1/58  
Digital Object Identifier 10.1109/CMPEUR.1989.93344

[AbstractPlus](#) | Full Text: [PDF](#)(136 KB) IEEE CNF

[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

Indexed by

